

## **NEW** FROM US GEAR!

## LIGHZNING



launch of the new Lightning Series! This high-performance gear set is made in the U.S.A. and undergoes a unique treatment known as Isotropic Superfinishing (ISF®). The ISF® Process produces not only an outstanding highly-polished look, it also generates a non-directional low Ra surface (the measurement of surface finish, or smoothness, of a part). Produced with mass finishing equipment in conjunction with chemical accelerants. the ISF® Process is non-hazardous and environmentally friendly.

## FEATURES & BENEFITS

- · Eliminates Break-in
- Reduces Friction and Wear
- Increases Part Durability
- Improves Corrosion Resistance
- Reduces Lubrication Requirements and Cost
- Improves Oil Retention Properties
- · Reduces Contact and Bending Fatigue
- Improves Pitting Resistance
- Reduces Vibration and Noise
- Extends Component Life
- Reduces Part Failures
- · Minimizes Overheating



www.USGear.com

PHONE: 1-800-540-2794 EMAIL: aftermarket@axletech.com



## HIGH-PERFORMANCE GEAR SETS

Description	Ratio
Chrysler 8.75" (742)	3.55, 3.91, 4.30, 4.56
Chrysler 8.75" (742) PR0	4.86
Chrysler 8.75" (489)	3.55, 3.91, 4.56, 4.86
Dana 60 PRO	4.30
Ford 8"	2.80, 3.00, 3.25, 3.55, 3.80, 4.11, 4.62
Ford 8.8"	3.08, 3.55, 3.73, 3.90, 4.10, 4.30, 4.56, 4.71, 4.88, 5.13
Ford 9"	3.00, 3.25, 3.50, 3.70, 3.89, 4.00, 4.11, 4.30, 4.57, 4.63, 4.71, 4.78, 4.86, 5.00, 5.14, 5.29, 5.43, 5.67, 5.83, 6.00
Ford 9" PRO	3.40, 3.50, 3.60, 3.70, 3.89, 4.11, 4.29, 4.57, 4.71, 4.86, 5.00, 5.14, 5.29, 5.43, 5.67, 5.83, 6.00, 6.20, 6.33, 6.50
Ford 9.5" PRO - 35 spline large stem pinion	3.25, 3.40, 3.50, 3.60, 3.70, 3.89, 4.11, 4.29, 4.57, 4.86, 5.00, 5.14
Ford 10" PRO - Dual bolt pattern	3.89, 4.11, 4.29, 4.57, 4.71, 5.00, 5.14, 5.43, 5.67, 5.83, 6.20
GM 12 Bolt Car	3.08, 3.31, 3.42, 3.55, 3.73, 3.73- 4, 3.91, 4.11, 4.11 THICK, 4.30, 4.56, 4.56 THICK, 4.88, 5.14, 5.38
GM 12 Bolt Car PRO	4.11, 4.30, 4.56, 4.88, 5.00, 5.14, 5.38, 5.57, 5.86, 6.00, 6.14











www.USGear.com

PHONE: 1-800-540-2794 EMAIL: aftermarket@axletech.com